



**Send To: 00010**

Mr. Jim Tosh  
3 Springs Water Company  
1800 Pine Run Road  
Laurel Run, PA 18702

**Facility: 00011**

3 Springs Water Company  
1800 Pine Run Road  
Laurel Run, PA 18702

Result	COMPLIANT	Report Date	04-MAR-2011
Customer Name	3 Springs Water Company		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	3 Springs   Spring Water		
Test Type	Annual Collection		
Job Number	A-00100000		
Project Number	9093845 (CLAA, MLAA)		
Project Manager	Myla Estacio		

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization**

Kurt Kneen - Director, Chemistry Laboratory

**Date** 04-MAR-2011

**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
 Lot Number: EXP 01/2013 PA DEP# 035 07:32 01/17/11 NYSD#213  
 Product Description: Spring Water  
 Trade Name: 3 Springs

Sample Id: **S-0000814746**  
 Description: Spring Water EXP 01/2013 PA DEP# 035 07:32 01/17/11 NYSD#213  
 Sampled Date: 02/18/2011  
 Received Date: 02/17/2011

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	ND		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	26		umhos/cm	
Corrosivity	0	-5.38			
Hardness, Total	2	8		mg/LCaCO3	
Odor, Threshold	1	1	3	TON	Pass
Solids Total Dissolved	5	17	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.16			
Temperature	0	20		deg. C	
Bicarbonate	5	ND		mg/L HCO3	
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
<b>Radiologicals</b>					
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Radium 226 by SM705 (modified)	1	ND		pCi/L	
Radium 228 by Ra-05	1	ND		pCi/L	
Total Radium	1	ND	5	pCi/L	Pass
Uranium	0.001	ND	0.03	mg/L	Pass
<b>Inorganic Chemicals</b>					
Aluminum	0.01	0.01	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass



Sample Id: S-0000814746

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Arsenic	0.002	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.011	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.02	1.5		mg/L	
Chloride	2	ND	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	0.008	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.2	mg/L	Pass
Fluoride	0.1	ND	2.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.02	0.99		mg/L	
Manganese	0.001	0.014	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	0.003	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	0.12	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	0.12	10	mg/L	Pass
Potassium	0.5	ND		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	0.6		mg/L	
Sulfur, Sulfate	0.5	5.6	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	Pass
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	0.01	5	mg/L	Pass
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	



Sample Id: S-0000814746

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Multicomponent Pesticides and PCBs (Ref: EPA 505)					
Chlordane	0.2	ND	2	ug/L	Pass
PCB 1016	0.3	ND	0.5	ug/L	Pass
PCB 1221	0.4	ND	0.5	ug/L	Pass
PCB 1232	0.4	ND	0.5	ug/L	Pass
PCB 1242	0.3	ND	0.5	ug/L	Pass
PCB 1248	0.2	ND	0.5	ug/L	Pass
PCB 1254	0.2	ND	0.5	ug/L	Pass
PCB 1260	0.3	ND	0.5	ug/L	Pass
Total PCBs	0.4	ND	0.5	ug/L	Pass
Toxaphene	1	ND	3	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	2	ND		ug/L	
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass



Sample Id: S-0000814746

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	



Sample Id: S-0000814746

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND		ug/L	
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
<b>Microbiological Quality</b>					
Coliform in Water/100 mL		Absent			
E. Coli in Water/100 mL		Absent			Pass



<<Additional Information>>

Sample Id: S-0000814746

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	22-FEB-2011		
Color (Ref: SM 2120-B)	18-FEB-2011	9:30	
Specific Conductance (Ref: EPA 120.1)	18-FEB-2011		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Odor, Threshold Number (Ref: EPA 140.1)	18-FEB-2011		
Solids, Total Dissolved (Ref: SM 2540-C)	21-FEB-2011		
Turbidity (Ref: EPA 180.1)	18-FEB-2011	12:50	
pH (Ref: SM4500-HB)	18-FEB-2011	8:17	
Bicarbonate (Ref: SM 2320-B)			
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	22-FEB-2011		
Chloramines (Ref: SM 4500-Cl-G)	18-FEB-2011	9:47	
Chlorine, Total Residual (ref. Hach 8167)	18-FEB-2011	9:00	
Chlorite (Ref: EPA 300.1)	22-FEB-2011		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	18-FEB-2011	9:47	
Haloacetic Acids (Ref: EPA 552.2)	21-FEB-2011		18-FEB-2011
<b>Radiologicals</b>			
* Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering	25-FEB-2011		
* Total Radium (General Engineering)	2-MAR-2011		
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	23-FEB-2011		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)	26-FEB-2011	1422	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Bromide (Ref: EPA 300.1)	22-FEB-2011		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-FEB-2011		
Chloride (Ref: EPA 300.0)	18-FEB-2011		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	24-FEB-2011		



<<Additional Information>>

Sample Id: S-0000814746

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Cyanide, Total (Ref: EPA 335.4)	2-MAR-2011		
Fluoride (Ref: SM 4500-F-C)	18-FEB-2011		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	23-FEB-2011		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-FEB-2011		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Nitrogen, Nitrate (Ref: EPA 300.0)	18-FEB-2011	1022	
Nitrogen, Nitrite (Ref: EPA 300.0)	18-FEB-2011	1022	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	23-FEB-2011		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-FEB-2011		
Sulfur, Sulfate (Ref: EPA 300.0)	18-FEB-2011		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	18-FEB-2011	14:23	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
* Phenolics, Total Recoverable (Ref: EPA 420.2)	21-FEB-2011		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	23-FEB-2011		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	23-FEB-2011		18-FEB-2011
Endothall (Ref: EPA 548.1) - (ug/L)	23-FEB-2011		22-FEB-2011
Glyphosate (Ref: EPA 547)	24-FEB-2011		
Perchlorate (Ref: EPA 314.0)	22-FEB-2011		
2,3,7,8-TCDD (Ref: EPA 1613B)	1-MAR-2011		28-FEB-2011
Carbamate Pesticides (Ref: 531.2)	1-MAR-2011		
Herbicides (Ref: EPA 515.3)	25-FEB-2011		24-FEB-2011
Multicomponent Pesticides and PCBs (Ref: EPA 505)	21-FEB-2011		
Semivolatile Organic Compounds (Ref: EPA 525.2)	24-FEB-2011		24-FEB-2011
Volatiles: EDB and DBCP (Ref: EPA 504.1)	22-FEB-2011		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	21-FEB-2011		



<<Additional Information>>

Sample Id: S-0000814746

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Microbiological Quality</b>			
Colilert method for Coliform, in Water by SM 9223 (Bottled Water Only)	19-FEB-2011	13:00	18-FEB-2011 10:30



**Testing Laboratories:**

	<b>Id</b>	<b>Address</b>
All work performed at:	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C0185	* Total Radium (General Engineering)
C1010	Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfur, Sulfate (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	* Phenolics, Total Recoverable (Ref: EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3167	Chlorine, Total Residual (ref. Hach 8167)
C3168	Chlorine Dioxide (Ref: SM 4500-ClO2-D)
C3169	Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3210	Corrosivity (Ref: SM 2330-B)
C3244	* Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref: EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2) (comment: NELAC approved method)
C4202	Herbicides (Ref: EPA 515.3)
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
M0115	Colilert method for Coliform, in Water by SM 9223 (Bottled Water Only)

Certifications:

Arizona ( # AZ0655 )	California ( # 01149 CA )	Connecticut ( # PH-0625 )
Florida ( # E-87752 FL )	Hawaii	Indiana
Maryland ( # 201 )	Michigan ( # 0048 )	North Carolina ( # 26701 )
New Jersey ( # 62770 )	Nevada ( # MI000302010A )	New York ( # 11206 )
Pennsylvania ( # 68-00312 )	South Carolina ( # 81005 )	Virginia ( # 00045 )
Vermont ( # VT 11206 )		

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Specific Conductance and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.